Brain Research, 458 (1988) 407–409
Elsevier

Author Index

Abumrad, N.N., see Radosevich, P.M., 325
Abou-Donia, M.B., see Lapadula, D.M., 123
Allen, C.N., Brady, R., Swann, J., Hori, N. and Carpenter, D.O., *N*-Methyl-D-aspartate (NMDA) receptors are inactivated by trypsin, 147

Balaban, C.D., Roskams, R.-J. and Severs, W.B., Diazepam attenuation of somatostatin-induced motor disturbances and neurotoxicity, 91
Beni, M., see Lombardi, G., 348
Bennett, T., see Gardiner, S.M., 176
Benson, J.A., Bicuculline blocks the response to acetylcholine and nicotine but not to muscarine or GABA in isolated insect neuronal somata, 65
Bhave, S.V., see Wakade, A.R., 115
Bignami, A., see Gilad, G.M., 249
Bisby, M.A., Dependence of GAP43 (B50, F1) transport on axonal regeneration in rat dorsal root ganglion neurons, 157
Björklund, A., see Daszuta, A., 1
Boer, G.J., see Mirmiran, M., 192
Bomzon, A., see Okun, F., 31
Bos, N.P.A., see Mirmiran, M., 192
Brady, R., see Allen, C.N., 147
Brodin, L., Tossman, U., Ohta, Y., Ungerstedt, U. and Grillner, S., The effect of an uptake inhibitor (dihydrokainate) on endogenous excitatory amino acids in the lamprey spinal cord as revealed by microdialysis, 166
Brooks Lacy, D., see Radosevich, P.M., 325
Brooks, P.A. and Stone, T.W., Purine modulation of cholinomimetic responses in the rat hippocampal slice, 106
Brown, L.L., see Radosevich, P.M., 325
Brundin, P., see Daszuta, A., 1
Burnstock, G., see James, S., 205

Canteras, N.S., Shammah-Lagnado, S.J., Silva, B.A. and Ricardo, J.A., Somatosensory inputs to the subthalamic nucleus: a combined retrograde and anterograde horseradish peroxidase study in the rat, 53
Caramia, E., see Rossini, P.M., 20
Carla', V., see Lombardi, G., 348
Carpenter, D.O., see Allen, C.N., 147
Chalazonitis, A., Crain, S.M. and Kessler, J.A., Preferential cholinergic projections by embryonic spinal cord neurons within cocultured mouse superior cervical ganglia, 231
Chiappinelli, V.A., see Pinnock, R.D., 45
Cliffer, K.D. and Giesler, Jr., G.J., PHA-L can be transported anterogradely through fibers of passage, 185
Compton, A.M., see Gardiner, S.M., 176
Crain, S.M., see Chalazonitis, A., 231
Crepel, F. and Krupa, M., Activation of protein kinase C induces a long-term depression of glutamate sensitivity of cerebellar Purkinje cells. An in vitro study, 397
Cubells, J.F., Walkley, S.U. and Makman, M.H., The effects of gabaculine in vivo on the distribution of GABA-like immunoreactivity in the rat retina, 82
Curzon, G., see Haleem, D.J., 339
Cusick, C.G. and Kaas, J.H., Surface view patterns of intrinsic and extrinsic cortical connections of area 17 in a prosimian primate, 383

Dahl, D., see Gilad, G.M., 249
Daszuta, A., Strecker, R.E., Brundin, P. and Bkörklund, A., Serotonin neurons grafted to the adult rat hippocampus. I. Time course of growth as studied by immunohistochemistry and biochemistry, 1
DonCarlos, L.L., Ho, R.H. and Finkelstein, J.A., Immunocytochemical analysis of somatostatin in the hypothalamus of obese and non-obese Zucker rats, 372

Egawa, M., Hoebel, B.G. and Stone, E.A., Use of microdialysis to measure brain noradrenergic receptor function in vivo, 303

Finkelstein, J.A., see DonCarlos, L.L., 372
Fuller, R.W., see Ghetti, B., 367
Funabashi, T., Sasaki, H. and Kimura, F., Intraventricular injection of antiserum to nerve growth factor delays the development of amygdaloid kindling, 132

Gardiner, S.M., Compton, A.M. and Bennett, T., Renal vasodilatation after central administration of galanin, 176
Garner, J.A., Differential turnover of tubulin and neurofilament proteins in central nervous system neuron terminals, 309
Gavish, M., see Okun, F., 31
Ghetti, B., Perry, K.W. and Fuller, R.W., Serotonin concentration and turnover in cerebellum and other brain regions of *pcd* mutant mice, 367
Ghetti, B., see Mendelsohn, L.G., 361
Giesler, Jr., G.J., see Cliffer, K.D., 185
Gilad, G.M., Gilad, V.H., Dahl, D. and Bignami, A., Astroglia-induced detachment of central neurons but astroglia-dependent growth of peripheral neurons in rat embryonic spinal cord primary cultures, 249
Gilad, V.H., see Gilad, G.M., 249
Grillner, S., see Brodin, L., 166

Hájek, I., see Svoboda, J., 97
Haldar, J., see Miaskowski, C., 137
Haleem, D.J., Kennett, G. and Curzon, G., Adaptation of female rats to stress: shift to male pattern by inhibition of corticosterone synthesis, 339
Hatanaka, H., see Kubota, Y., 389
Ho, R.H., see DonCarlos, L.L., 372
Hoebel, B.G., see Egawa, M., 303
Hori, N., see Allen, C.N., 147

Ikuta, F., see Oyanagi, K., 218
Inagaki, S., see Kubota, Y., 389
Ishida, A., see Oishi, K., 261

James, S. and Burnstock, G., Autoradiographic localization of binding sites for ^{125}I-substance P on neurones from cultured rat superior cervical ganglion, 205

Jones, B.E., see Webster, H.H., 285

Kaas, J.H., see Cusick, C.G., 383
Katz, Y., see Okun, F., 31
Kennett, G., see Haleem, D.J., 339
Kerchner, G.A., see Mendelsohn, L.G., 361
Kessler, J.A., see Chalazonitis, A., 231
Kimura, F., see Funabashi, T., 132
Kirk, M.D., see Rathouz, M.M., 170
Kito, S., see Kubota, Y., 389
Kogure, K., see Onodera, H., 212
Komiskey, H.L., Raemont, L.M. and Mundinger, K.L., Aging: modulation of $GABA_A$ binding sites by ethanol and diazepam, 37
Konopka, L.M. and Parsons, R.L., Clindamycin-induced alteration of ganglionic function. I. Direct effects on ganglion cell properties, 269
Konopka, L.M., Neel, D.S. and Parsons, R.L., Clindamycin-induced alteration of ganglionic function. II. Effect of nicotinic receptor–channel function, 278
Koyama, N., see Nishikawa, Y., 394
Kruisbrink, J., see Mirmiran, M., 192
Krupa, M., see Crepel, F., 397
Kubota, Y., Inagaki, S., Kito, S., Shimada, S., Okayama, T., Hatanaka, H., Pelletier, G., Takagi, H. and Tohyama, M., Neuropeptide Y-immunoreactive neurons receive synaptic inputs from dopaminergic axon terminals in the rat neostriatum, 389
Kumamoto, E. and Shinnick-Gallagher, P., Soman enhances nicotinic depolarizations, and depresses muscarinic hyperpolarizations in parasympathetic neurons, 151

Lam, D.M.-K., see Wu, S.M.-S., 195
Lange, A.B., see Pasztor, V.M., 199
Lapadula, D.M., Suwita, E. and Abou-Donia, M.B., Evidence for multiple mechanisms responsible for 2,5-hexanedione-induced neuropathy, 123
Levine, J.D., see Taiwo, Y.O., 402
Linden, D.J., Wong, K.L., Sheu, F.-S. and Routtenberg, A., NMDA receptor blockade prevents the increase in protein kinase C substrate (protein F1) phosphorylation produced by long-term potentiation, 142
Loewy, A.D., see Spencer, S.E., 72
Lombardi, G., Beni, M., Carla', V., Toffano, G. and Moroni, F., Differential actions of neurotrophic factors on lesion-induced damage of the serotonergic neurons projecting to the hippocampus, 348
Lucaites, V.L., see Mendelsohn, L.G., 361
Lukic, D., see Miaskowski, C., 137
Lundis, S.C.R., see Pinnock, R.D., 45

Makman, M.H., see Cubells, J.F., 82
Mendelsohn, L.G., Smith, M.C., Lucaites, V.L., Kerchner, G.A. and Ghetti, B., Autoradiographic localization of insulin-like growth factor II receptors in cerebellar cortex of weaver and Purkinje cell degeneration mutant mice, 361
Miaskowski, C., Ong, G.L., Lukic, D. and Haldar, J., Immobilization stress affects oxytocin and vasopressin levels in hypothalamic and extrahypothalamic sites, 137
Mirmiran, M., Kruisbrink, J., Bos, N.P.A., Van der Werf, D. and Boer, G.J., Decrease of rapid-eye-movement sleep in the light by intraventricular application of a VIP-antagonist in the rat, 192
Moroni, F., see Lombardi, G., 348
Motin, V,, see Svoboda, J., 97
Mundinger, K.L., see Komiskey, H.L., 37

Neel, D.S., see Konopka, L.M., 278
Nishikawa, Y., Koyama, N. and Yokota, T., Ipsilateral somatosensory tongue representation within the lateral subdivision of the nucleus ventralis posteromedialis parvocellularis of the cat thalamus, 394

Ohta, Y., see Brodin, L., 166
Oishi, K., Yoneda, T. and Ishida, A., An analysis of frequency response of motor units during voluntary isometric contractions at various speeds, 261
Okayama, T., see Kubota, Y., 389
Okun, F., Weizman, R., Katz, Y., Bomzon, A., Youdim, M.B.H. and Gavish, M., Increase in central and peripheral benzodiazepine receptors following surgery, 31
Ong, G.L., see Miaskowski, C., 137
Onodera, H. and Kogure, K., Differential localization of adenosine A_1 receptors in the rat hippocampus: quantitative autoradiographic study, 212
Orchard, J., see Pannabecker, T., 180
Orchard, I., see Pasztor, V.M., 199
Orem, J., The activity of late inspiratory cells during the behavioral inhibition of inspiration, 224
Oyanagi, K., Takahashi, H., Wakabayashi, K. and Ikuta, F., Selective decrease of large neurons in the neostriatum in progressive supranuclear palsy, 218

Pannabecker, T. and Orchard, I., Evidence for a Na^+/Ca^{2+} exchange mechanism in the neuroendocrine cells of the locust corpus cardiacum, 180
Parsons, R.L., see Konopka, L.M., 269
Parsons, R.L., see Konopka, L.M., 278
Pasztor, V.M., Lange, A.B. and Orchard, I., Stretch-induced release of proctolin from the dendrites of a lobster sense organ, 199
Pelletier, G., see Kubota, Y., 389
Pereyra, P.M. and Roots, B.I., The use of tetracycline hydrochloride as a rapid fluorescent stain for myelin membranes in vertebrates and invertebrates, 377
Perry, K.W., see Ghetti, B., 367
Pinnock, R.D., Lummis, S.C.R., Chiappinelli, V.A and Sattelle, D.B., κ-Bungarotoxin blocks an α-bungarotoxin-sensitive nicotinic receptor in the insect central nervous system, 45
Plurad, D.A., see Schmidt, R.E., 353

Radosevich, P.M., Brooks Lacy, D., Brown, L.L., Williams, P.E. and Abumrad, N.N., Effects of insulin-induced hypoglycemia on plasma and cerebrospinal fluid levels of ir-β-endorphins, ACTH, cortisol, norepinephrine, insulin and glucose in the conscious dog, 325
Raemont, L.M., see Komiskey, H.L., 37
Rathouz, M.M. and Kirk, M.D., Localization of catecholamines in the buccal ganglia of *Aplysia californica*, 170
Ricardo, J.A., see Canteras, N.S., 53
Roots, B.I., see Pereyra, P.M., 377
Roskams, R.-J., see Balaban, C.D., 91
Rossini, P.M., Zarola, F., Stalberg, E. and Caramia, E., Premovement facilitation of motor-evoked potentials in man during transcranial stimulation of the central motor pathways, 20
Roth, K.A., see Schmidt, R.E., 353

Routtenberg, A., see Linden, D.J., 142

Sasaki, H., see Funabashi, T., 132
Sattelle, D.B., see Pinnock, R.D., 45
Sawyer, W.B., see Spencer, S.E., 72
Schmidt, R.E., Plurad, D.A. and Roth, K.A., Effects of chronic experimental streptozotocin-induced diabetes on the noradrenergic and peptidergic innervation of the rat alimentary tract, 353
Schubert, P., Physiological modulation by adenosine: selective blockade of A_1-receptors with DPCPX enhances stimulus train-evoked neuronal Ca influx in rat hippocampal slices, 162
Severs, W.B., see Balaban, C.D., 91
Shammah-Lagnado,, S.J., see Canteras, N.S., 53
Sheu-F.-S.,, see Linden, D.J., 142
Shimada, S., see Kubota, Y., 389
Shinnick-Gallagher, P., see Kumamoto, E., 151
Silva, B.A., see Canteras, N.S., 53
Smith, M.C., see Mendelsohn, L.G., 361
Spencer, S.E., Sawyer, W.B. and Loewy, A.D., L-Glutamate stimulation of the zona incerta in the rat decreases heart rate and blood pressure, 72
Stalberg, E., see Rossini, P.M., 20
Stone, E.A., see Egawa, M., 303
Stone, T.W., see Brooks, P.A., 106
Strecker, R.E., see Daszuta, A., 1
Suwita, E., see Lapadula, D.M., 123
Svoboda, J., Motin, V., Hájek, I. and Syková, E., Increase in extracellular potassium level in rat spinal dorsal horn induced by noxious stimulation and peripheral injury, 97
Swann, J., see Allen, C.N., 147
Syková, E., see Svoboda, J., 97

Taiwo, Y.O. and Levine, J.D., Characterization of the arachidonic acid metabolites mediating bradykinin and noradrenaline hyperalgesia, 402
Takagi, H., see Kubota, Y., 389
Takahashi, H., see Oyanagi, K., 218
Toffano, G., see Lombardi, G., 348
Tohyama, M., see Kubota, Y., 389
Tossman, U., see Brodin, L., 166

Ungerstedt, U., see Brodin, L., 166

Van der Werf, D., see Mirmiran, M., 192

Wakabayashi, K., see Oyanagi, K., 218
Wakade, A.R. and Bhave, S.V., Facilitation of noradrenergic character of sympathetic neuron by co-culturing with heart cells, 115
Walkley, S.U., see Cubells, J.F., 82
Webster, H.H. and Jones, B.E., Neurotoxic lesions of the dorsolateral pontomesencephalic tegmentum-cholinergic cell area in the cat. II. Effects upon sleep–waking states, 285
Weizman, R., see Okun, F., 31
Williams, P.E., see Radosevich, P.M., 325
Wong, K.L., see Linden, D.J., 142
Wu, S.M.-S. and Lam, D.M.-K., The coexistence of three neuroactive substances in amacrine cells of the chicken retina, 195

Yaksh, T.L., Substance P release from knee joint afferent terminals: modulation by opioids, 319
Yokota, T., see Nishikawa, Y., 394
Yoneda, T., see Oishi, K., 261
Youdim, M.B.H., see Okun, F., 31

Zarola, F., see Rossini, P.M., 20